

To: Wagner, Christine[Wagner.Christine@epa.gov]; Nonresponsive Based on revised scope @westonsolutions.com];
Nonresponsive Based on revised scope @WestonSolutions.com]
Cc: R3 ESC-CLIENTS[R3_ESCCLIENTS@epa.gov]; Molnar, Adam[Molnar.Adam@epa.gov]
From: Fortune, Warren[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=8165181FF8864D5AA23CBD9193CA13C1-FORTUNE, WA]
Sent: Wed 10/2/2019 8:00:56 PM (UTC)
Subject: RE: Shiloh Church Removal Action

Chris,
Thank you for the quick response. We will send the samples CLP. Thank you.
Warren Fortune
Chemist
United States Environmental Protection Agency
Phone: 410-305-2974
Email: fortune.warren@epa.gov

From: Wagner, Christine <Wagner.Christine@epa.gov>
Sent: Wednesday, October 02, 2019 2:33 PM

To: Fortune, Warren <Fortune.Warren@epa.gov>; Nonresponsive Based on revised scope @westonsolutions.com>;
Nonresponsive Based on revised scope @WestonSolutions.com>
Cc: R3 ESC-CLIENTS <R3_ESCCLIENTS@epa.gov>
Subject: RE: Shiloh Church Removal Action

Warren
Thank you for the generous offer. Unfortunately, we will need the 7-day TAT and up to 50 samples. I have the previous approval from my supervisor for expedited turnaround time. Please let me know if you need a new email
Thank you
Chris
Christine Wagner
Federal On-Scene Coordinator
EPA Region III
804-337-3049

From: Fortune, Warren <Fortune.Warren@epa.gov>
Sent: Wednesday, October 02, 2019 1:27 PM

To: Wagner, Christine <Wagner.Christine@epa.gov>; Nonresponsive Based on revised scope @westonsolutions.com>;
Nonresponsive Based on revised scope >
Cc: R3 ESC-CLIENTS <R3_ESCCLIENTS@epa.gov>
Subject: Shiloh Church Removal Action

Chris,
The Regional lab will accept the 25 Soil PCB Aroclor samples if the Unvalidated Data Due date is changed to 14 days. We look forward to your response. Thank you.
Warren Fortune
Chemist
United States Environmental Protection Agency
Phone: 410-305-2974
Email: fortune.warren@epa.gov